



FCC LFGB FDA IPX7 MSDS EU38.3



宁波东特电器有限公司

Ningbo Dongte Electronic Appliances Co.,ltd.

地址:浙江省慈溪市宗汉街道百两村

Add: Bailiang Village, Zonghan Street, Cixi City, Ningbo Zhejiang China 315301


Tel:0086-574-63223666 Fax:0086-574-63223678

E-mail:marketing@dong-te.com Website:www.dong-te.com

DHONT® 东特

ELECTRIC TOOTHBRUSH
PRODUCTS CATALOGUE

电动牙刷目录册



COMPANY PROFILE >>>>>>

顾客至上 诚信经营



Laboratory
实验室




Assembly Workshop
无尘车间



Moulding Injection
注塑车间



Waterproof testing machine
气密性测试仪



Laser Engraving Machine
激光镭雕机、烫金机



Imprinting Machine
丝印、移印机

东特电器成立于2012年,专业生产电动牙刷、消毒器等产品。公司集研发、生产、销售于一体拥有自营进出口权的企业。工厂占地面积15000平方米,建筑面积18000平方米,现拥有200个职工,14条生产线,月产量50万台以上,拥有100余项技术专利。

公司下设注塑、冲床、印刷、超声波焊接,十万级无尘组装车间;产品遍布全球,主要销往欧洲,南北美洲、南非、韩国、日本及东南亚国家,公司已通过 ISO9001:2015, ISO14001:2015国际质量体系认证、BSCI和 CE/ EMC/FCC/ ROHS/LFGB/FDA/IPX7/ CNAS/消字号生产许可证、质检报告等产品权威认证。

秉承“质量、成本,创新,速度”的经营理念,坚持以科技创新求发展,致力为客户提供完善的服务与贸易,打造全球最具有竞争力的供应商。

DONGTE electronic appliances was established in 2012, It professional for electric toothbrush, toothbrush sterilizer etc. The company focuses on R&D, production and sales into one enterprise with self-support import and export rights. The factory floor space is 15,000 square meters and area of building is 18,000 square meters. Now our company has 200 employees, Monthly production capacity can be reach 50K at least, besides its own 100pcs technical patents.

The company has injection, punching, printing, ultrasonic welding, 10,000 class dust-free workshop. Our products had been sold all over the world, main market: Europe, North and South America, South Africa, Korea, Japan and Southeast Asia, the company had already passed ISO9001:2015, ISO14001:2015, BSCI, and CE/EMC/LVD/FCC/ROHS2.0/LFGB/FDA/IPX7/CNAS test report and other product s' authoritative certificates etc.

We believe "QUALITY, COST, INNOVATION, QUICK" is our company life. Adhere to the development of companies based on technological innovation. Committed to providing customers with comprehensive services. Strive to become the most competitive professional supplier in the world.

Laboratory Equipment 实验室设备



Certificates 认证证书



ISO9001:2015



ISO14001:2015



CE




FCC



RoHS



LFGB



FDA



IPX7



BSCI



消字号许可证

Swavel Direct Charge Series

扫振直充系列



Item No:DT-216

- Seamless pressure sensing switch
- Material :ABS, TPR, Dupont brush head
- TYPE-C charging : charging cable length is 30CM , around 5 hours for full charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification:18650, 3.7V, 1200mAh
- Working time: Sensitive gear: 45 days, Strong gear: 30 days
- Vibration frequency : 19200-38000 beats/Min, Brush swing 60°
- Four modes: Sensitve, Clean, Strong, Whitening. Gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight : 109g (1200mAh battery)
- Waterproof grade: IPX7
- Product Noise: ≤50dB
- Product Size: 232*Φ26mm

- 无缝压力感应开关
- 材料:ABS, TPR, 杜邦丝刷头
- TYPE-C充电: 充电线长度30CM , 约5小时充满
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感档位:45天, 强劲档位:30天
- 振动频率:19200-38000次/分钟, 刷头摆幅60°
- 4种刷牙模式:敏感, 清洁, 强劲, 美白。档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 产品净重:109g (1200毫安电池)
- 防水等级:IPX7
- 产品噪音:≤50dB
- 产品尺寸:232*Φ26mm

36120pcs/20'
73800pcs/40'
86340pcs/40' HQ

Swavel Direct Charge Series

扫振直充系列



Item No:DT-217

- Seamless pressure sensing switch
- Material :ABS, TPR, Dupont brush head
- TYPE-C charging : charging cable length is 30CM , around 5 hours for full charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification:18650, 3.7V, 1200mAh
- Working time: Sensitive gear: 45 days, Strong gear: 30 days
- Vibration frequency : 19200-38000 beats/Min, Brush swing 60°
- Four modes: Sensitve, Clean, Strong, Whitening. Gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight : 113g (1200mAh battery)
- Waterproof grade: IPX7
- Product Noise: ≤50dB
- Product Size: 232*Φ26mm

- 无缝压力感应开关
- 材料:ABS, TPR, 杜邦丝刷头
- TYPE-C充电: 充电线长度30CM , 约5小时充满
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感档位:45天, 强劲档位:30天
- 振动频率:19200-38000次/分钟, 刷头摆幅60°
- 4种刷牙模式:敏感, 清洁, 强劲, 美白。档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 产品净重:113g (1200毫安电池)
- 防水等级:IPX7
- 产品噪音:≤50dB
- 产品尺寸:232*Φ26mm

36120pcs/20'
73800pcs/40'
86340pcs/40' HQ

Maglev series-Direct charge model

磁悬浮直充系列

Item No：DT-200-CH5

- Material：ABS, TPR, DuPont brushhead
- Induction Charging：Induction Charging&TYPE-C charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification: 18650, 3.7V, 1200mAh
- Working time: Sensitive gear: 180 days, Whitening Strong gear: 35 days
- Vibration frequency: 35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
- Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight：103g (1200mAh battery) Wireless charging base net weight: 23g
- Waterproof grade: IPX7
- Product Noise: ≤60dB
- Product Size: handle: 232*Φ26mm Charging base (CDZ-4): Φ61*22mm

- 材料：ABS, TPR, 杜邦丝刷头
- 充电方式：感应充电或Type-C直充
- 充电输入：5V/1A, 额定电压/功率：3.7V/2.5W
- 锂电池规格：18650, 3.7V, 1200mAh
- 可使用时间：敏感最弱档位：180 天, 亮白最强档位：35 天
- 振动频率：35160-42000次/分钟
- 5种刷牙模式：清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重：103g (1200毫安电池) 无线底座净重：33g
- 防水等级：IPX7
- 产品噪音：≤60dB
- 产品尺寸：主机232*Φ26mm, 充电座 (CDZ-3): Φ61*22mm

24080pcs/20’
49200pcs/40’
57560pcs/40’ HQ



Inductive Charging Base
感应充电座

Maglev series-Direct charge model

磁悬浮直充系列

Item No：DT-202-CH5

- Material：ABS, TPR, DuPont brushhead
- Induction Charging：Induction Charging&TYPE-C charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification: 18650, 3.7V, 1200mAh
- Working time: Sensitive gear: 180 days, Whitening Strong gear: 35 days
- Vibration frequency: 35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
- Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight：105g (1200mAh battery) Wireless charging base net weight: 23g
- Waterproof grade: IPX7
- Product Noise: ≤60dB
- Product Size: handle: 237*Φ31mm Charging base (CDZ-4): Φ61*22mm

- 材料：ABS, TPR, 杜邦丝刷头
- 充电方式：感应充电或Type-C直充
- 充电输入：5V/1A, 额定电压/功率：3.7V/2.5W
- 锂电池规格：18650, 3.7V, 1200mAh
- 可使用时间：敏感最弱档位：180 天, 亮白最强档位：35 天
- 振动频率：35160-42000次/分钟
- 5种刷牙模式：清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重：105g (1200毫安电池) 无线底座净重：33g
- 防水等级：IPX7
- 产品噪音：≤60dB
- 产品尺寸：主机237*Φ31mm, 充电座 (CDZ-3): Φ61*22mm

24080pcs/20’
49200pcs/40’
57560pcs/40’ HQ



Inductive Charging Base
感应充电座

Maglev series-Direct charge model

磁悬浮直充系列

Item No:DT-205-CH5

- Material :ABS, TPR, DuPont brushhead
- Induction Charging:Induction Charging&TYPE-C charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification :18650, 3.7V, 1200mAh
- Working time:Sensitive gear:180 days, Whitening Strong gear:35 days
- Vibration frequency:35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
- Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight :118g (1200mAh battery) Wireless charging base net weight: 23g
- Waterproof grade:IPX7
- Product Noise: ≤60dB
- Product Size:handle: 248*Φ31mm Charging base (CDZ-4): Φ61*22mm

- 材料:ABS, TPR, 杜邦丝刷头
- 充电方式:感应充电或Type-C直充
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感最弱档位:180 天, 亮白最强档位:35 天
- 振动频率:35160-42000次/分钟
- 5种刷牙模式:清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重:118g (1200毫安电池) 无线底座净重:33g
- 防水等级:IPX7
- 产品噪音:≤60dB
- 产品尺寸:主机248*Φ31mm, 充电座 (CDZ-3): Φ61*22mm

18600pcs/20’
38000pcs/40’
44440pcs/40’ HQ

Inductive Charging Base
感应充电座

Maglev series-Direct charge model

磁悬浮直充系列

Item No:DT-206-CH5

- Material :ABS, TPR, DuPont brushhead
- Induction Charging:Induction Charging&TYPE-C charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification :18650, 3.7V, 1200mAh
- Working time:Sensitive gear:180 days, Whitening Strong gear:35 days
- Vibration frequency:35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
- Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight :103g (1200mAh battery) Wireless charging base net weight: 23g
- Waterproof grade:IPX7
- Product Noise: ≤60dB
- Product Size:handle: 232*Φ26mm Charging base (CDZ-4): Φ61*22mm

- 材料:ABS, TPR, 杜邦丝刷头
- 充电方式:感应充电或Type-C直充
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感最弱档位:180 天, 亮白最强档位:35 天
- 振动频率:35160-42000次/分钟
- 5种刷牙模式:清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重:103g (1200毫安电池) 无线底座净重:33g
- 防水等级:IPX7
- 产品噪音:≤60dB
- 产品尺寸:主机232*Φ26mm, 充电座 (CDZ-3): Φ61*22mm

24080pcs/20’
49200pcs/40’
57560pcs/40’ HQ

Inductive Charging Base
感应充电座

Maglev series-Direct charge model

磁悬浮直充系列



Item No:DT-207-CH5

- Material :ABS, TPR, DuPont brushhead
- Induction Charging:Induction Charging&TYPE-C charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification :18650, 3.7V, 1200mAh
- Working time:Sensitive gear:180 days, Whitening Strong gear:35 days
- Vibration frequency :35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
- Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight :103g (1200mAh battery) Wireless charging base net weight: 23g
- Waterproof grade:IPX7
- Product Noise: ≤60dB
- Product Size:handle: 232*Φ26mm Charging base (CDZ-4): Φ61*22mm

- 材料:ABS, TPR, 杜邦丝刷头
- 充电方式:感应充电或Type-C直充
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感最弱档位:180 天, 亮白最强档位:35 天
- 振动频率:35160-42000次/分钟
- 5种刷牙模式:清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重:103g (1200毫安电池) 无线底座净重:33g
- 防水等级:IPX7
- 产品噪音: ≤60dB
- 产品尺寸:主机232*Φ26mm, 充电座 (CDZ-3): Φ61*22mm

24080pcs/20'
49200pcs/40'
57560pcs/40' HQ



Inductive Charging Base
感应充电座

Maglev series-Direct charge model

磁悬浮直充系列



Item No:DT-208-CH5

- Material :ABS, TPR, DuPont brushhead
- Induction Charging:Induction Charging&TYPE-C charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification :18650, 3.7V, 1200mAh
- Working time:Sensitive gear:180 days, Whitening Strong gear:35 days
- Vibration frequency :35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
- Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight :118g (1200mAh battery) Wireless charging base net weight: 23g
- Waterproof grade:IPX7
- Product Noise: ≤60dB
- Product Size: handle: 248*Φ31mm Charging base (CDZ-4): Φ61*22mm

- 材料:ABS, TPR, 杜邦丝刷头
- 充电方式:感应充电或Type-C直充
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感最弱档位:180 天, 亮白最强档位:35 天
- 振动频率:35160-42000次/分钟
- 5种刷牙模式:清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重:118g (1200毫安电池) 无线底座净重:33g
- 防水等级:IPX7
- 产品噪音: ≤60dB
- 产品尺寸:主机248*Φ31mm, 充电座 (CDZ-3): Φ61*22mm

18600pcs/20'
38000pcs/40'
44440pcs/40' HQ



Inductive Charging Base
感应充电座

Maglev series-Direct charge model

磁悬浮直充系列



Item No:DT-208-CH5

- Material :ABS, TPR, DuPont brushhead
- Induction Charging:Induction Charging&TYPE-C charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification: 18650, 3.7V, 1200mAh
- Working time:Sensitive gear: 180 days, Whitening Strong gear: 35 days
- Vibration frequency: 35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
- Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight : 120g (1200mAh battery) Wireless charging base net weight: 23g
- Waterproof grade: IPX7
- Product Noise: ≤60dB
- Product Size: handle: 253*Φ26mm Charging base (CDZ-4): Φ61*22mm

- 材料:ABS, TPR, 杜邦丝刷头
- 充电方式:感应充电或Type-C直充
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感最弱档位:180 天, 亮白最强档位:35 天
- 振动频率:35160-42000次/分钟
- 5种刷牙模式:清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重:120g (1200毫安电池) 无线底座净重:33g
- 防水等级:IPX7
- 产品噪音:≤60dB
- 产品尺寸:主机253*Φ26mm, 充电座 (CDZ-3): Φ61*22mm

28980pcs/20'
59220pcs/40'
69300pcs/40' HQ



Inductive Charging Base

感应充电座

Maglev series-Direct charge model

磁悬浮直充系列

Item No:J1

- Material :ABS, TPR, DuPont brushhead
- Induction Charging:charging cable length is 80CM , around 13 hours for full charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification: 18650, 3.7V, 1200mAh
- Working time:Sensitive gear: 180 days, Whitening Strong gear: 35 days
- Vibration frequency: 35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
- Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight : 103g (1200mAh battery) Wireless charging base net weight: 23g
- Waterproof grade: IPX7
- Product Noise: ≤60dB
- Product Size: handle: 232*Φ26mm Charging base (CDZ-4): Φ61*22mm

- 材料:ABS, TPR, 杜邦丝刷头
- 感应充电:充电线长度80CM , 约13小时充满
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感最弱档位:180 天, 亮白最强档位:35 天
- 振动频率:35160-42000次/分钟
- 5种刷牙模式:清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重:103g (1200毫安电池) 无线底座净重:33g
- 防水等级:IPX7
- 产品噪音:≤60dB
- 产品尺寸:主机232*Φ26mm, 充电座 (CDZ-4): Φ61*22mm

16640pcs/20'
34040pcs/40'
39800pcs/40' HQ



Magnetic Suspension Toothbush For Kid' s

儿童磁悬浮直充系列



Item No:DT-206A

- Material:ABS, TPR, Dupont brush head
- Induction Charging:Induction Charging&TYPE-C charging
- Charging input:5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification:18650, 3.7V, 1200mAh
- Working time:Sensitive gear:180 days, Cleaning gear:45 days
- Vibration Frequency:26000-42000 beats/min
- 3 modes: sensitive, clean & nursing
- 3 modes with memory function
- The 2 min timer is a 30s reminder to change the brushing area
- Product Net weight :103g (1200mAh battery)
- Waterproofing Grade:IPX7
- Product Noise:≤60dB
- Product Size:227*φ26mm

- 材料:ABS, TPR, 杜邦丝刷头
- 充电方式:感应充电或Type-C直充
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感档位:180天, 清洁档位:45天
- 振动频率:26000-42000次/分钟
- 3种刷牙模式:敏感, 清洁, 牙龈护理.档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 产品净重:103g (1200毫安电池)
- 防水等级:IPX7
- 产品噪音:≤60dB
- 产品尺寸:227*φ26mm

36120pcs/20'
73800pcs/40'
86340pcs/40' HQ



Inductive Charging Base
感应充电座

Magnetic Suspension Toothbush For Kid' s

儿童磁悬浮直充系列



Item No:DT-206B

- Material:ABS, TPR, Dupont brush head
- Induction Charging:Induction Charging&TYPE-C charging
- Charging input:5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification:18650, 3.7V, 1200mAh
- Working time:Sensitive gear:180 days, Cleaning gear:45 days
- Vibration Frequency:26000-42000 beats/min
- 3 modes: sensitive, clean & nursing
- 3 modes with memory function
- The 2 min timer is a 30s reminder to change the brushing area
- Product Net weight :103g (1200mAh battery)
- Waterproofing Grade:IPX7
- Product Noise:≤60dB
- Product Size:227*φ26mm

- 材料:ABS, TPR, 杜邦丝刷头
- 充电方式:感应充电或Type-C直充
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感档位:180天, 清洁档位:45天
- 振动频率:26000-42000次/分钟
- 3种刷牙模式:敏感, 清洁, 牙龈护理.档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 产品净重:103g (1200毫安电池)
- 防水等级:IPX7
- 产品噪音:≤60dB
- 产品尺寸:227*φ26mm

36120pcs/20'
73800pcs/40'
86340pcs/40' HQ



Inductive Charging Base
感应充电座

Maglev Series - Sterilization, Drying & Induction Charging Model

When the toilet is flushed, it can produce 6 meters of cyclone which can instantly fill the toilet and pollute the toothbrush.



The diagram illustrates a bathroom scene where a toilet is flushed. Blue arrows indicate a powerful cyclone of air and water being ejected from the toilet bowl, reaching a height of 6 meters. This cyclone spreads green, spiky bacteria particles throughout the bathroom, including onto a toothbrush resting on a shelf.

Humid environment is easy to breed bacteria



The diagram shows a close-up of a toothbrush head. Various colored, spiky bacteria are shown growing on the bristles. Labels point to specific bacteria: *Candida albicans* (yellow), *Aspergillus niger* (green), *Escherichia coli* (blue), and *Staphylococcus aureus* (orange).

Canker sores
Bacteria can easily cause oral ulcers

Gum swelling and pain
Failure to sterilize may cause sore gums and bleeding

Bad breath, bad smell
Local disease of the mouth and bacterial fermentation cause bad breath

INNOVATIVE ELECTRIC HEATING DRYING TECHNOLOGY
Dry the brush head regularly for 3 hours to kill stubborn bacteria in depth. The

MICROBIAL	TEMPERATURE °C	TIME min
Staphylococcus aureus	63°C	7min
Escherichia coli	60°C	5~30min
Candida albicans	60°C	20min

- Ultraviolet sterilization
- Drying and sterilizing at high temperature
- Double sterilization The whole “bacteria” was wiped out
- Sterllization rate >99.9%

76°C



The sterilization rate is as high as

99.9%



The image shows a magnifying glass focusing on a test report. The report is titled "检测报告 TEST REPORT" and includes various details such as the test number (KJ20192638), the date of the test (2019年12月07日), and the results of the sterilization test. The results show a sterilization rate of 99.94% for Staphylococcus aureus, 99.92% for Escherichia coli, and 99.92% for Candida albicans. The report also includes a signature and a red stamp.

Maglev Series - Sterilization, drying and induction charging mode

磁悬浮杀菌烘干系列

Item No：DT-200-CJ5

- Material : ABS, TPR, DuPont brushhead
- Induction Charging: charging cable length is 80CM , around 13 hours for full charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification: 18650, 3.7V, 1200mAh
- Working time: Sensitive gear: 180 days, Whitening Strong gear: 35 days
- Vibration frequency: 35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
- Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight : 103g (1200mAh battery) Disinfection charging base net weight: 128g
- Waterproof grade: IPX7
- Product Noise: ≤60dB
- Product Size: handle: 232*Φ26mm Charging base (CDZ-1): 106*65*121mm
- Disinfection charging base: Disinfect 360 degree w/o dead angle in 10 min, Drying at a fixed time of three hours
- The UV sterilization rate of colored glaze is 99.9%, Rapid disintegration of Candida albicans, Escherichia coli, Staphylococcus, Aspergillus niger

- 材料: ABS, TPR, 杜邦丝刷头
- 感应充电: 充电线长度80CM , 约13小时充满
- 充电输入: 5V/1A, 额定电压/功率: 3.7V/2.5W
- 锂电池规格: 18650, 3.7V, 1200mAh
- 可使用时间: 敏感最弱档位: 180 天, 亮白最强档位: 35 天
- 振动频率: 35160-42000次/分钟
- 5种刷牙模式: 清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重: 103g (1200毫安电池) 消毒底座净重: 128g
- 防水等级: IPX7
- 产品噪音: ≤60dB
- 产品尺寸: 主机232*Φ26mm, 充电座 (CDZ-1) : 106*65*121mm
- 10分钟360度无死角消毒, 定时3小时烘干
- UV紫外线杀菌率99.9%, 迅速瓦解白色念珠菌, 大肠杆菌, 葡萄球菌等

9120pcs/20'
18720pcs/40'
21900pcs/40' HQ

Maglev Series - Sterilization, drying and induction charging mode

磁悬浮杀菌烘干系列

Item No：DT-202-CJ5

- Material : ABS, TPR, DuPont brushhead
- Induction Charging: charging cable length is 80CM , around 13 hours for full charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification: 18650, 3.7V, 1200mAh
- Working time: Sensitive gear: 180 days, Whitening Strong gear: 35 days
- Vibration frequency: 35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
- Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight : 105g (1200mAh battery) Disinfection charging base net weight: 128g
- Waterproof grade: IPX7
- Product Noise: ≤60dB
- Product Size: handle: 237*Φ26mm Charging base (CDZ-1): 106*65*121mm
- Disinfection charging base: Disinfect 360 degree w/o dead angle in 10 min, Drying at a fixed time of three hours
- The UV sterilization rate of colored glaze is 99.9%, Rapid disintegration of Candida albicans, Escherichia coli, Staphylococcus, Aspergillus niger

- 材料: ABS, TPR, 杜邦丝刷头
- 感应充电: 充电线长度80CM , 约13小时充满
- 充电输入: 5V/1A, 额定电压/功率: 3.7V/2.5W
- 锂电池规格: 18650, 3.7V, 1200mAh
- 可使用时间: 敏感最弱档位: 180 天, 亮白最强档位: 35 天
- 振动频率: 35160-42000次/分钟
- 5种刷牙模式: 清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重: 105g (1200毫安电池) 消毒底座净重: 128g
- 防水等级: IPX7
- 产品噪音: ≤60dB
- 产品尺寸: 主机237*Φ26mm, 充电座 (CDZ-1) : 106*65*121mm
- 10分钟360度无死角消毒, 定时3小时烘干
- UV紫外线杀菌率99.9%, 迅速瓦解白色念珠菌, 大肠杆菌, 葡萄球菌等

7350pcs/20'
15060pcs/40'
17610pcs/40' HQ

Maglev Series - Sterilization, drying and induction charging mode

磁悬浮杀菌烘干系列

Item No:DT-206-CJ5

- Material :ABS, TPR, DuPont brushhead
- Induction Charging:charging cable length is 80CM , around 13 hours for full charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification: 18650, 3.7V, 1200mAh
- Working time:Sensitive gear: 180 days, Whitening Strong gear:35 days
- Vibration frequency:35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight : 103g (1200mAh battery) Disinfection charging base net weight: 128g
- Waterproof grade:IPX7
- Product Noise: ≤60dB
- Product Size:handle: 232*Φ26mm Charging base (CDZ-1): 106*65*121mm
- Disinfection charging base:Disinfect 360 degree w/o dead angle in 10 min, Drying at a fixed time of three hours
- The UV sterilization rate of colored glaze is 99.9%, Rapid disintegration of Candida albicans, Escherichia coli, Staphylococcus, Aspergillus niger

- 材料:ABS, TPR, 杜邦丝刷头
- 感应充电:充电线长度80CM , 约13小时充满
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感最弱档位:180 天, 亮白最强档位:35 天
- 振动频率:35160-42000次/分钟
- 5种刷牙模式: 清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重:103g (1200毫安电池) 消毒底座净重:128g
- 防水等级:IPX7
- 产品噪音: ≤60dB
- 产品尺寸:主机232*Φ26mm, 充电座 (CDZ-1) :106*65*121mm
- 10分钟360度无死角消毒, 定时3小时烘干
- UV紫外线杀菌率99.9%, 迅速瓦解白色念珠菌, 大肠杆菌, 葡萄球菌等

9120pcs/20'
18720pcs/40'
21900pcs/40' HQ

Maglev Series - Sterilization, drying and induction charging mode

磁悬浮杀菌烘干系列

Item No:DT-207-CJ5

- Material :ABS, TPR, DuPont brushhead
- Induction Charging:charging cable length is 80CM , around 13 hours for full charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification: 18650, 3.7V, 1200mAh
- Working time:Sensitive gear: 180 days, Whitening Strong gear:35 days
- Vibration frequency:35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight : 103g (1200mAh battery) Disinfection charging base net weight: 128g
- Waterproof grade:IPX7
- Product Noise: ≤60dB
- Product Size:handle: 232*Φ26mm Charging base (CDZ-1): 106*65*121mm
- Disinfection charging base:Disinfect 360 degree w/o dead angle in 10 min, Drying at a fixed time of three hours
- The UV sterilization rate of colored glaze is 99.9%, Rapid disintegration of Candida albicans, Escherichia coli, Staphylococcus, Aspergillus niger

- 材料:ABS, TPR, 杜邦丝刷头
- 感应充电:充电线长度80CM , 约13小时充满
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感最弱档位:180 天, 亮白最强档位:35 天
- 振动频率:35160-42000次/分钟
- 5种刷牙模式: 清洁, 亮白, 抛光, 牙龈护理, 敏感。每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重:103g (1200毫安电池) 消毒底座净重:128g
- 防水等级:IPX7
- 产品噪音: ≤60dB
- 产品尺寸:主机232*Φ26mm, 充电座 (CDZ-1) :106*65*121mm
- 10分钟360度无死角消毒, 定时3小时烘干
- UV紫外线杀菌率99.9%, 迅速瓦解白色念珠菌, 大肠杆菌, 葡萄球菌等

9120pcs/20'
18720pcs/40'
21900pcs/40' HQ

Maglev Series - Sterilization, drying and induction charging mode

磁悬浮杀菌烘干系列

Item No：DT-209-CJ5

- Material :ABS, TPR, DuPont brushhead
- Induction Charging:charging cable length is 80CM , around 13 hours for full charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification :18650, 3.7V, 1200mAh
- Working time:Sensitive gear:180 days, Whitening Strong gear:35 days
- Vibration frequency:35160-42000 beats/Min
- Five modes: White, Clean, Sensitive, Polish & Gumcare
- Each mode have weak, medium, strong gear with memory function
- 2 minutes timing and every 30 seconds reminder to change the brushing area
- Product Net weight :120g (1200mAh battery) Disinfection charging base net weight: 128g
- Waterproof grade:IPX7
- Product Noise: ≤60dB
- Product Size:handle: 253*Φ26mm Charging base (CDZ-1): 106*65*121mm
- Disinfection charging base:Disinfect 360 degree w/o dead angle in 10 min, Drying at a fixed time of three hours
- The UV sterilization rate of colored glaze is 99.9%, Rapid disintegration of Candida albicans, Escherichia coli, Staphylococcus, Aspergillus niger

- 材料 :ABS, TPR, 杜邦丝刷头
- 感应充电: 充电线长度80CM , 约13小时充满
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:18650, 3.7V,1200mAh
- 可使用时间:敏感最弱档位:180 天, 亮白最强档位:35 天
- 振动频率:35160-42000次/分钟
- 5种刷牙模式: 清洁, 亮白, 抛光, 牙龈护理, 敏感,每个模式分弱、中、强, 档位带记忆功能
- 2分钟计时, 每30秒提醒更换刷牙区域
- 电动牙刷净重:120g (1200毫安电池)消毒底座净重:128g
- 防水等级:IPX7
- 产品噪音: ≤60dB
- 产品尺寸:主机253*Φ26mm, 充电座 (CDZ-1) :106*65*121mm
- 10分钟360度无死角消毒, 定时3小时烘干
- UV紫外线杀菌率99.9%, 迅速瓦解白色念珠菌, 大肠杆菌, 葡萄球菌等

7350pcs/20’
15060pcs/40’
17610pcs/40’ HQ




Wall Hanging Disinfection Box 壁挂式消毒盒

Item No：A1

- Material:ABS
- Charging:TYPE-C charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification :14500, 3.7V, 500mAh, around 3 hourse for charing full
- Working time:30 days (2 times per day)
- UV sterilization rate was 99.9%, rapidly breakdown of Candida albicans, E. coli, Staphylococcus, and Aspergillus niger
- Sterilization time:5 minutes
- Drying time:3 hours
- Hanging optional or disassemble optional
- Product Net weight : 81g (500mAh battery) Product net weight after gel: 127g (can pass IPX7)
- Waterproof grade:0
- Product size:70*248*Φ31mm
- Suitable for all models

- 材料 :ABS
- 充电方式:TYPE-C充电
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 锂电池规格:14500, 3.7V,500mAh, 约3小时充满
- 1天使用2次, 续航30天
- UV紫外线杀菌率99.9%, 迅速瓦解白色念珠菌, 大肠杆菌, 葡萄球菌等
- 杀菌时间:5分钟
- 可挂墙, 可拆卸
- 产品净重:81g (500毫安电池) 灌胶后产品净重:127g (可过IPX7)
- 防水等级:不防水
- 产品尺寸:70*248*Φ31mm
- 通配所有型号
- 21450pcs/20’
- 44050pcs/40’
- 51550pcs/40’ HQ



Portable Sterilizer
便携消毒器

什么是蓝氧气?

蓝氧(臭氧)是一种强氧化剂, 蓝氧水中的蓝氧水分子具有超强的氧化功能, 可以瞬间摧毁微生物和细菌的细胞, 使细菌的代谢和繁殖过程遭到破坏, 且不可再生蓝氧杀菌的同时会自行分解为氧气和水, 对人体无影响和损害。

What is blue oxygen water?

Blue oxygen (ozone) is a strong kind of oxidant, blue oxygen water molecules have super oxidation function, can instantly destroy microorganisms and bacterial cells, the metabolism and reproduction process of bacteria was destroyed, and non-renewable blue oxygen sterilization will decompose into oxygen and water, no impact and damage to the human body.



UVC + Drying Sterilizer

Blue Oxygen Water Gargle Cup

UVC+烘干牙刷消毒器

蓝氧水杯

Item No:A2

- Material:ABS, PC, Titanium
- Charging: TYPE-C charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Lithium battery specification for blue oxygen water cup: Polymer, 3.7V, 1200mAh, around 5 hourse for charing full
- Blue oxygen water for 2 minutes of sterilization rate was 99.9%, rapidly breakdown of Candida albicans, E. coli, Staphylococcus, and Aspergillus niger
- Working time: 30 days (2 times per day)
- Lithium battery specification for sterilizer base: 14500, 3.7V, 500mAh, around 3 hourse for charing full
- UV sterilization rate was 99.9%, rapidly breakdown of Candida albicans, E. coli, Staphylococcus, and Aspergillus niger
- Working time: 30 days (2 times per day)
- Don `t allow to use pure water
- Drying time: 3 hours, need to plug in for using this function, charging cable length is 80mm
- Product Net weight :260g (with blue oxygen water cup) Product net weight: 229g (with normal cup)
- Waterproof grade: IPX7
- Product size: 200*Φ63mm
- Suitable for the models of DT-200, DT-206, DT-207

- 材料:ABS, PC, 钛
- TYPE-C 充电
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 蓝氧水杯锂电池规格:聚合物, 3.7V,1200mAh , 约5小时充满
- 蓝氧水2分钟杀菌率99.9%, 迅速瓦解白色念珠菌, 大肠杆菌, 葡萄球菌等, 1天使用2次, 续航时间35天
- 消毒座锂电池规格: 14500, 3.7V,500mAh , 约3小时充满
- 消毒座UV紫外线灯5分钟杀菌率99.9%, 迅速瓦解白色念珠菌, 大肠杆菌, 葡萄球菌等, 1天使用2次, 续航时间30天
- 纯净水不能用
- 烘干时间:3小时, 需要插线使用, 充电线长度为80MM
- 产品净重:260g (蓝氧水杯) , 产品净重:229g (普通杯子)
- 防水等级:IPX7
- 产品尺寸:200*Φ63mm
- 通配DT-200 、DT-206、DT-207

12480pcs/20’
25470pcs/40’
29820pcs/40’ HQ

Brush head
刷头



ST-1
Standard Standard gingiva brush head
标准护龈刷头



ST-2
Kid' s soft glue brush head
儿童包胶刷头



ST-3
Efficient and clean brush head
高效清洁刷头



ST-4
Standard Standard gingiva brush head
标准护龈刷头



ST-5
Efficient and clean brush head
高效清洁刷头



ST-6
Light blue brush head
带灯蓝光刷头



ST-7
Efficient and clean brush head
高效清洁刷头



ST-8
Cleaning face brush head
洁面刷



ST-9
Standard Standard gingiva brush head
标准护龈刷头



ST-10
Standard Standard gingiva brush head
标准护龈刷头



ST-11
Light sense bright white brush head
光感亮白刷头



ST-12
Efficient and clean brush head
高效清洁刷头

可调节&免打孔电动牙刷支架

可匹配市面大多数电动牙刷



免打孔

精选背胶·安装简单

可调节

适配99%电动牙刷

防霉潮

沥水设计·呵护机身

即插即用

拼装设计·旅行便携

Electric Toothbrush Holder

Item No:T1

- Material:ABS
- Hole-free, selected adhesive is easy to install
- Adjustable to fit 99% electric toothbrush
- Mildew-prrof and moisture-proof, drip dry design, care for the unit
- Plug in for working immediately, assembly design, portable for travel
- Suitable for all models

电动牙刷支架

型号:T1

- 材料:ABS
- 免打孔, 精选背胶, 安装简单
- 可调节, 适配99%电动牙刷
- 防霉潮, 沥水设计, 呵护机身
- 即插即用, 拼装设计, 旅行便携
- 通配所有型号

Travel box

Item No:LXH-1

- Material:ABS, PP
- Charging:TYPE-C charging
- Charging input: 5V/1A, Rated voltage/power: 3.7V/2.5W
- Product size:221x68x40mm
- Product net weight:152g
- Suitable for DT-206、DT-207

旅行盒

型号:LXH-1

- 材料:ABS, PP
- TYPE-C充电
- 充电输入:5V/1A, 额定电压/功率:3.7V/2.5W
- 产品尺寸:221x68x40mm
- 产品重量:152g
- 通配DT-206、207 系列

Travel box

Item No:LXH-2

- Material:PP
- Product size:215X80x45mm
- Product net weight:63g
- Suitable for DT-205/DT-208

旅行盒

型号:LXH-2

- 材料:PP
- 产品尺寸:215X80x45mm
- 产品重量:63g
- 通配DT-205/DT-208系列

Travel box

Item No:LXH-3

- Material:PP
- Product size:215X70x30mm
- Product net weight:66g
- Suitable for DT-200、DT-202、DT-206、DT-207、DT-216、DT-217、DT-J1、DT-X3S series

旅行盒

型号:LXH-3

- 材料:PP
- 产品尺寸:215X70x30mm
- 产品重量:66g
- 通配DT-200、202、206、207、216、217、J1、X3S系列